


Slewing Drive Performance Data		
Output Torque (Max.)	6.5 kN.m	4794 lbf.ft
Tilting Moment Torque (Max.)	33.9 kN.m	25×10 ³ lbf.ft
Holding Torque	34.5 kN.m	25.5×10 ³ lbf.ft
Axial Load (Max.)	338 kN	76×10 ³ lbf
Radial Load (Max.)	135 kN	30×10 ³ lbf
Ratio of Worm Gear	61:1	
Tracking Precision	≤ 0.17°	



Note: Side A facing up when mounted.

REV	DATE	REVISOR	DESCRIPTION			
DESIGNED BY	BFL	08/05/2024	LYRA DRIVE			
CHECKED BY	Roddick	08/05/2024				
APPROVED BY	Wengui,Liu	08/05/2024				
ALL PROPRIETARY RIGHTS IN THE SUBJECT MATTER HERE OF ARE RESERVED, AND NO PERMISSION IS GRANTED OR TO DISCLOSE REPRODUCE THIS PRINT IN WHOLE OR IN PART, ANY OF THE INFORMATION TO OTHERS.			WEIGHT	SCALE	Title	SLEWING DRIVE
			≈49kg(108lb)	1:3		
SYMBOLS ISO			SIZE	A3	Model No.	SE9-61-25H-R
			SHEET	1 / 1		
						Rev
						A